




ACOUSTICAL SYSTEMS - LLC

Expo™ Random Incidence Absorption Data



— C Mount, 1" Fiberglass Backing Insulation
— C Mount, 2" Fiberglass Backing Insulation



FREQ	C Mount, 1" Fiberglass Backing Insulation	C Mount, 2" Fiberglass Backing Insulation
100	0.15	0.44
125	0.19	0.52
160	0.32	0.62
200	0.22	0.60
250	0.52	0.81
315	0.67	0.86
400	0.87	0.88
500	0.95	0.90
630	0.96	0.91
800	0.94	0.87
1000	0.86	0.77
1250	0.81	0.77
1600	0.75	0.73
2000	0.69	0.74
2500	0.67	0.71
3150	0.62	0.70
4000	0.66	0.67
5000	0.66	0.67
NRC	1	80.00