



Modex™ Corner LEED Report



Component	MR 4.1,4.2 Post-consumer	MR 4.1,4.2 Pre-consumer	MR 5 Regional	MR 7 FSC	IEQ 4.1, 4.2 VOC	IEQ 4.4 NAUF	Fire rating
Wood Cabinet	99%	1%	YES	YES	-	YES*	ASTM E-84 Class A
Membrane	0%	0%	YES	-	-	-	-
Frame (internal)	0%	0%	YES	YES	-	-	-
Fiberglass (internal)	20%	5%	YES	-	-	NO***	ASTM E-84 Class A
Fabric**	50%	50%	YES	-	-	-	NFPA 260 Class 1
Paint			YES		652 g/L		-
Adhesive	0%	0%	YES	-	-	-	-
Average By Weight							
Standard Unit	48%	2%	YES	YES	652 g/L	YES*	-



* The core material used for wood paneling is ULEF (meets CARB regulation according to LEED v4.)

** The information included for fabric assumes RPG SoundGem™ acoustical fabric. Others may vary.

******* Standard fiberglass, no added formaldehyde fiberglass is a standard option.

RPG ACOUSTICAL SYSTEMS, LLC | 99 South St, Passaic, NJ 07055 | Phone 973.916.1166 | www.rpgacoustic.com