







# FlutterFree® T Supplemental Random Incidence Absorption Report

ACOUSTICAL SYSTEMS - LLC



FREQ	A Mount	C Mount w/ Helmholtz	C Mount w/ Slots	D Mount w/ Helmholtz	D Mount w/ Slots
100	0.07	0.18	0.00	0.48	0.27
125	0.10	0.33	0.15	0.61	0.23
160	0.13	0.48	0.18	0.56	0.35
200	0.19	0.73	0.30	0.56	0.69
250	0.19	0.75	0.49	0.47	0.89
315	0.15	0.57	0.83	0.41	1.10
400	0.13	0.47	1.10	0.36	1.16
500	0.11	0.34	1.14	0.29	1.00
630	0.11	0.24	0.80	0.23	0.71
800	0.12	0.23	0.62	0.21	0.57
1000	0.13	0.23	0.55	0.23	0.50
1250	0.11	0.20	0.46	0.23	0.44
1600	0.13	0.20	0.41	0.22	0.44
2000	0.17	0.24	0.44	0.27	0.45
2500	0.24	0.32	0.49	0.36	0.49
3150	0.18	0.24	0.50	0.27	0.53
4000	0.16	0.20	0.45	0.22	0.51
5000	0.19	0.20	0.42	0.23	0.47