

HPD UNIQUE IDENTIFIER: 30611

CLASSIFICATION: 09 54 00 Specialty Ceilings

PRODUCT DESCRIPTION: These 1-dimensional asymmetric wood veneered panels were developed using RPG's powerful shape optimization software and represent the continuing evolution in architectural acoustics toward quantifiable, organic shapes. The serpentine panels are designed to blend the direct and reflected sound to increase intelligibility and enhance musical clarity and intimacy in performance spaces such as auditoriums, band rooms and choral rooms. They can be arrayed on walls or ceilings to reduce periodicity effects. Available in a high-recycled content, ULEF, Class A fire-rated and FSC-certified MDF core and come standard 47-3/4" W x 7-3/4" L x 9-3/4" D. RPG offers clear lacquer or factory color-matching of wood finishes and paint colors on natural and engineered veneers or laminates.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format	Threshold Level	Residuals/Impurities Evaluation	For all contents above the threshold, the manufacturer has:
<input checked="" type="radio"/> Nested Materials Method <input type="radio"/> Basic Method	<input checked="" type="radio"/> 100 ppm <input type="radio"/> 1,000 ppm <input type="radio"/> Per GHS SDS <input type="radio"/> Other	Completed in 3 of 3 Materials Explanation(s) provided for Residuals/Impurities? <input checked="" type="radio"/> Yes <input type="radio"/> No	Characterized <input checked="" type="radio"/> Yes <input type="radio"/> No Provided weight and role. Screened <input checked="" type="radio"/> Yes <input type="radio"/> No Provided screening results using HPDC-approved methods. Identified <input checked="" type="radio"/> Yes <input type="radio"/> No Provided name and CAS RN or other identifier.
Threshold Disclosed Per <input type="radio"/> Material <input checked="" type="radio"/> Product			

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

[NESTED MATERIAL](#) | [MATERIAL OR SUBSTANCE](#) | [RESIDUAL OR IMPURITY](#)

[GREENSCREEN SCORE](#) | [HAZARD TYPE](#)

[CORE](#) [[BORON SODIUM OXIDE \(B8NA2O13\)](#), [TETRAHYDRATE](#) [LT-1](#)] [REP](#) | [MUL](#) | [MAM](#) | [EYE](#) [4,4'-DIPHENYLMETHANE DIISOCYANATE](#) [LT-UNK](#) | [CAN](#) | [RES](#) | [SKI](#) | [EYE](#) | [MAM](#) [WOOD CHIPS/DUST](#)] [SC:BIO:VENNEER](#) [[DOMESTIC VENEER](#)] [ADHESIVE](#) [[WATER](#) [BM-4](#)] [POLYVINYL ACETATE](#) [LT-UNK](#)]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Special Conditions applied: [BiologicalMaterial]

The finish for this product registered below the threshold by weight. It created no added thickness to the material based on examining standard finishes. Custom finishes are not included. Residuals and impurities are considered following the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as that applied to intentionally added substances, i.e., 100 ppm or 1000 ppm. Residuals and impurities below the declared Inventory Threshold do not need to be reported on the HPD." This includes average data in the common product database or peer-reviewed scientific articles. For this product, no actual material has been tested. Therefore, residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. Pharos and PubChem (formerly toxnet) are the main databases for researching potential residuals and impurities. Any R/I above the threshold shall be listed on the HPD; otherwise, if none are listed, then no residuals or impurities are common in that substance above the threshold. Every effort has been made to report the products' substances by the manufacturer to the listed threshold. This is a voluntary, self-reported effort. Any errors or omissions shall be considered human error and therefore reported to the manufacturer. The manufacturer shall not be liable for omissions. This HPD was produced using primary information from the manufacturer, including CAS numbers and SDS when needed. Each substance shall include the data quality score for completeness in the notes. The level of data completeness is compared against the HPD Open Standards. It shall use the following system to determine how well it adheres to the procedures outlined in the standard. The following are used: 0= poor: undocumented estimate, 1= fair: documented estimate, 2= good: provided data with some uncertainty, 3=very good: provided data with no uncertainty, 4= excellent: provided data that the preparer has verified through visual inspection. This level of data analysis is in alignment with the data quality pedigree mix per the US EPA document EPA/600/R-16/096/June 2016
file:///C:/Users/denic/Downloads/LCI%20DATA%20%20%20%20QUALITY%20GUIDANCE%20JUN20

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: VOC Emissions

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

Yes
 No

PREPARER: Self-Prepared

VERIFIER:
VERIFICATION #:

SCREENING DATE: 2022-11-14

PUBLISHED DATE: 2022-11-14

EXPIRY DATE: 2025-11-14

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

CORE %: 90.0000

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Wood Dust, Fiber or Chips

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are considered following the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as that applied to intentionally added substances, i.e., 100 ppm or 1000 ppm. Residuals and impurities below the declared Inventory Threshold do not need to be reported on the HPD." This includes average data declared in the common product database or peer-reviewed scientific articles. For this product, no actual material has been tested. Therefore, residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. Pharos and PubChem (formerly toxnet) are the main databases for researching potential residuals and impurities. Any R/I above the threshold shall be listed on the HPD; otherwise, if none are listed, then no residuals or impurities are common in that substance above the threshold.

OTHER MATERIAL NOTES:

WOOD CHIPS/DUST

ID: Biological Material

HAZARD DATA SOURCE: HPDC Special Conditions Policy

%: 88.0000 GreenScreen: Not Required RC: PreC NANO: No MATERIAL ROLE: Filler

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
Hazard Screening is not applicable to this Special Condition		

BIOLOGICAL MATERIALS CATEGORY: Tree-based materials

INGREDIENT DESCRIPTION: Domestic Veneer

MATERIAL CONTENT NOTES: The panel manufacturer does not list the origin of the wood dust. 100% post-industrial recycled content.

This disclosure does not provide information on allergens, hyper-accumulation of metals, production of any toxic substances during normal metabolic activities, pesticides, and other potential hazards or sources of hazards which may be found in certain biological materials.

BORON SODIUM OXIDE (B8NA2O13), TETRAHYDRATE

ID: 12280-03-4

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-11-14 16:36:22

%: 11.0000 - 15.0000 GreenScreen: LT-1 RC: UNK NANO: No SUBSTANCE ROLE: Binder

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
REP	EU - Annex VI CMRs	Reproductive Toxicity - Category 1B
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
REP	EU - REACH Annex XVII CMRs	Toxic to Reproduction Category 2 - Substances which should be regarded as if they impair fertility or cause Developmental Toxicity in humans
REP	GHS - Japan	H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1B]
REP	GHS - Australia	H360FD - May damage fertility. May damage the unborn child [Reproductive toxicity - Category 1A or 1B]
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
EYE	GHS - New Zealand	Eye irritation category 2
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
REP	GHS - New Zealand	Reproductive toxicity category 2

ADDITIONAL LISTINGS	AGENCY	NOTIFICATION
RESTRICTED LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE SCIL Yellow Triangle - best available in class but some hazard profile issues
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPll)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPll)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Children's Products

SUBSTANCE NOTES:

4,4'-DIPHENYLMETHANE DIISOCYANATE

ID: 101-68-8

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-11-14 16:36:23**

%: **0.0100 - 5.0000** GreenScreen: **LT-UNK** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Binder**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
RES	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
SKI	GHS - New Zealand	Skin irritation category 2
EYE	GHS - New Zealand	Eye irritation category 2
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	GHS - Australia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
CAN	GHS - New Zealand	Carcinogenicity category 2
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
MAM	GHS - New Zealand	Specific target organ toxicity - repeated exposure category 1
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
SKI	GHS - Japan	H317 - May cause an allergic skin reaction [Skin sensitizer - Category 1]
CAN	EU - Annex VI CMRs	Carcinogen Category 2 - Suspected human Carcinogen
SKI	GHS - Japan	H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]
SKI	GHS - New Zealand	Skin sensitisation category 1
MAM	GHS - New Zealand	Acute inhalation toxicity category 2
EYE	GHS - Korea	H319 - Causes serious eye irritation [Serious eye damage/irritation - Category 2]
SKI	GHS - Korea	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
MAM	Québec CSST - WHMIS 1988	Class D1A - Very toxic material causing immediate and serious toxic effects
SKI	GHS - Korea	H317 - May cause an allergic skin reaction [Skin sensitization - Category 1]
MAM	GHS - Japan	H330 - Fatal if inhaled [Acute toxicity (inhalation: gas) - Category 2]
MAM	GHS - Australia	H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 1 or 2]
MAM	GHS - Japan	H330 - Fatal if inhaled [Acute toxicity (inhalation: dust, mist) - Category 2]
CAN	GHS - Australia	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	GHS - Korea	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]

ADDITIONAL LISTINGS	AGENCY	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPll)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Formulated Consumer Products
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List Precautionary list of substances recommended for avoidance

SUBSTANCE NOTES:

SC: BIO: VENEER %: 3.0000

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Wood Dust, Fiber or Chips

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are considered following the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as that applied to intentionally added substances, i.e., 100 ppm or 1000 ppm. Residuals and impurities below the declared Inventory Threshold do not need to be reported on the HPD." This includes average data declared in the common product database or peer-reviewed scientific articles. For this product, no actual material has been tested. Therefore, residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. Pharos and PubChem (formerly toxnet) are the main databases for researching potential residuals and impurities. Any R/I above the threshold shall be listed on the HPD; otherwise, if none are listed, then no residuals or impurities are common in that substance above the threshold.

OTHER MATERIAL NOTES:

DOMESTIC VENEER

ID: Biological Material

HAZARD DATA SOURCE: [HPDC Special Conditions Policy](#)

%: 100.0000 GreenScreen: **Not Required** RC: **UNK** NANO: **No** MATERIAL ROLE: **Biological material**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
Hazard Screening is not applicable to this Special Condition		

BIOLOGICAL MATERIALS CATEGORY: Plant-based materials

INGREDIENT DESCRIPTION: Domestic Veneer

MATERIAL CONTENT NOTES: This disclosure does not provide information on allergens, hyper-accumulation of metals, production of any toxic substances during normal metabolic activities, pesticides, and other potential hazards or sources of hazards which may be found in certain biological materials.

ADHESIVE %: 0.1000

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Impurities listed above the threshold by Quartz or Pharos databases are noted in this HPD. Residuals and impurities are considered following the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as that applied to intentionally added substances, i.e., 100 ppm or 1000 ppm. Residuals and impurities below the declared Inventory Threshold do not need to be reported on the HPD." This includes average data declared in the common product database or peer-reviewed scientific articles. For this product, no actual material has been tested. Therefore, residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. Pharos and PubChem (formerly toxnet) are the main databases for researching potential residuals and impurities. Any R/I above the threshold shall be listed on the HPD; otherwise, if none are listed, then no residuals or impurities are common in that substance above the threshold.

OTHER MATERIAL NOTES:

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-11-14 16:36:21**%: **35.0000** GreenScreen: **BM-4** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Solvent**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS

AGENCY

NOTIFICATION

EXEMPT European Union / European Commission (EU EC) EU - REACH Exemptions
Exempted from REACH Annex IV listing due to intrinsic safety

POSITIVE LIST

US Environmental Protection Agency (US EPA)

US EPA - DfE SCIL

Green Circle - Verified Low Concern

SUBSTANCE NOTES:

POLYVINYL ACETATE

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-11-14 16:48:20**%: **35.0000** GreenScreen: **LT-UNK** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Polymer species**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS

AGENCY

NOTIFICATION

None found No listings found on Additional Hazard Lists

SUBSTANCE NOTES:

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	VOC Emissions	
CERTIFYING PARTY: Third Party	ISSUE DATE: 2022-09-19	CERTIFIER OR LAB: Berkeley Analytical
APPLICABLE FACILITIES: This is not a facility-based declaration.	EXPIRY DATE:	
CERTIFICATE URL:		
CERTIFICATION AND COMPLIANCE NOTES: CDPH Report# 107240-65-3		

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

This product can be installed in various scenarios as the architect designs it. For this reason, accessories are not included because installations are custom.

Custom finishes may also differ. This HPD is based on standard finishes or ranges of colors by the standard finish manufacturer.

MANUFACTURER INFORMATION

MANUFACTURER: **RPG Acoustical Systems LLC**
 ADDRESS: **99 South Street**
Passaic New Jersey 07055, USA
 WEBSITE: **www.rpgacoustic.com**

CONTACT NAME: **Ken Fussner**
 TITLE: **Executive VP of Sales & Marketing**
 PHONE: **973-916-1166 X4000**
 EMAIL: **kfussner@rpgacoustic.com**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

- | | | |
|---------------------------------------|---|--|
| AQU Aquatic toxicity | LAN Land toxicity | PHY Physical hazard (flammable or reactive) |
| CAN Cancer | MAM Mammalian/systemic/organ toxicity | REP Reproductive |
| DEV Developmental toxicity | MUL Multiple | RES Respiratory sensitization |
| END Endocrine activity | NEU Neurotoxicity | SKI Skin sensitization/irritation/corrosivity |
| EYE Eye irritation/corrosivity | NF Not found on Priority Hazard Lists | UNK Unknown |
| GEN Gene mutation | OZO Ozone depletion | |
| GLO Global warming | PBT Persistent, bioaccumulative, and toxic | |

GreenScreen (GS)

- | | |
|---|--|
| BM-4 Benchmark 4 (prefer-safer chemical) | LT-P1 List Translator Possible 1 (Possible Benchmark-1) |
| BM-3 Benchmark 3 (use but still opportunity for improvement) | LT-1 List Translator 1 (Likely Benchmark-1) |
| BM-2 Benchmark 2 (use but search for safer substitutes) | LT-UNK List Translator Benchmark Unknown |
| BM-1 Benchmark 1 (avoid - chemical of high concern) | NoGS No GreenScreen. |
| BM-U Benchmark Unspecified (due to insufficient data) | |

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

- PreC** Pre-consumer recycled content
- PostC** Post-consumer recycled content
- UNK** Inclusion of recycled content is unknown
- None** Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

- Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material
- Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product
- Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.